AUTHOR INDEX

Abdel-Dayem, H.M.: see Kouris, K., 326
Abid-Ali, F.: see Harba, M.I.A., 411
Ahuja, A.A.: see Martin, P., 360
Albrektsson, T.: see Aspenberg, P., 70
Almond, N.E., Jones, D.P. and Cooke, E.D.
High quality photoplethysmograph
signals from a laser Doppler flowmeter:
preliminary studies of two simultaneous
outputs from the finger, 458
Anand Rao, J.: see Samhasiva, Rao P., 293

Andrews, B.J.: see Pournezam, M., 196
Andrews, B.J., Baxendale, R.H., Barnett, R.,
Phillips, G.F., Yamazaki, T., Paul, J.P.
and Freeman, P.A. Hybrid FES orthosis
incorporating closed loop control and
sensory feedback, 189

Annis, D.: see How, T.V., 225
Arulkumaran, S.: see Lilja, H., 348
Aspden, R.M.: see Sikoryn, T.A., 357
Aspden, R.M., Gleave, B.D. and Hukins,
D.W.L. Dimensional measurements on
images from a video camera or cassette
recorder using a BBC microcomputer,
291

Aspenberg, P., Albrektsson, T., Lohmander, L.S. and Thorngren, K.G. Drug test chamber: a titanium implant for administration of biochemical agents to a standardized bone callus in situ, 70

Aubert, A.E., Gewillig, M., Witters, E., Van den Brossche, A., Van den Brossche, J., Ector, H. and De Geest, H. New highfrequency catheter technique for His bundle ablation in dogs, 91

Bambill de Rossit, D.V.: see Laura, P.A.A., 453

Barnett, R.: see Andrews, B.J., 189 Basseas, S.: see Graupe, D., 305 Baxendale, R.H.: see Andrews, B.J., 189 see Pournezam, M., 196 Berman, H.J.: see Einav, S., 393

Berman, H.J.: see Einav, S., 393 Betka, J.: see Hrubý, J., 470 Betts, R.P.: see Franks, C.I., 365 Billington, G.D.: see Nelham, R.L., 175 Bisset, W.M., Watt, J.B., Rivers, R.P.A. and Milla, P.J. Measurement of smallintestinal motor activity in the preterm infant, 155

Black, R.A.: see How, T.V., 225 Blanquaert, D.: see Christel, P.S., 57 Blue, H.B.: see Sun, M., 336 Bonfield, W.: see Tanner, K.E., 289 Bonfield, W. Composites for bone

replacement, 522
Boyd, E.: see Daley, J., 146
Browett, J.P.: see Colson, D.J., 301

Bunch, R.P.: see Gross, T.S., 261 Burton, P.J., Rochefort, M., Rolfe, P. and Goddard, P.J. Development of a sensor for non-invasive intracranial pressure measurement in the newborn, 171

Byford, G.H. Editorial: Biotechnology, 3 Editorial: The curative properties of electric pulses, 299

Caroubalos, C., Perche, C., Metaxaki-Kossionides, C., Sangriotis, E. and Maroulis, D. Method for an automatic analysis of the ECG, 343

analysis of the ECG, 343
Carter, M.C. Fetal monitoring, 527
Chambers, G.R.: see Sutherland, I.A., 110
Chan, F.H.Y.: see Li, H.F., 14
Chan, W.S.: see Li, H.F., 14
Cherry, G.W.: see Hutchings, M., 149
Choy, T.T.C. and Leung, P.M. Real time

Choy, T.T.C. and Leung, P.M. Real time microprocessor-based 50 Hz notch filter for ECG, 285 Choy, T.T.C. and Leung, P.M. Real-time drift suppressor for ECG, 354 Christel, P.S., Meunier, A., Blanquaert, D.,

Christel, P.S., Meunier, A., Blanquaert, D., Witvoet, J. and Sedel, L. Role of stem design and material on stress distributions in cemented total hip replacement, 57

Clavin, O.E.: see Felice, C.J., 448 Coats, A.: see Murphy, C., 127 Colditz, P.: see Murphy, C., 127 Colles, M.J. Medical lasers, 569 Colson, D.I. Browett, I.P. Fiddian

Colson, D.J., Browett, J.P., Fiddian, N.J. and Watson, B. Treatment of delayed and non-union of fractures using pulsed electromagnetic fields, 301

Conhill, E.J.: see Hall, E.A.H., 319 Conway, J.: see Murphy, C., 127 Cooke, E.D.: see Almond, N.E., 458

Cooper, J.: see Daley, J., 146Cooper, J.C. and Hall, E.A.H. The nature of biosensor technology, 210

Cooper, J.P. and Salmons, S. Simple threeprogram implantable muscle stimulator with optical control, 467

Cottenden, A.M. Incontinence pads: clinical performance, design and technical properties, 506

Cotton, L.T.: see de Trafford, J.C., 101 Crook, S.E.: see Ewins, D.J., 184 Cunningham, J.L.: see Evans, M., 64 Daley, J., Boyd, E., Cooper, J. and O'Driscoll, P. Optical assessment of dental pulp vitality, 146

De Geest, H.: see Aubert, A.E., 91 de Trafford, J.C., Khan, O., Lafferty, K., Cotton, L.T. and Potter, C. Thermal entrainment methods for studying Raynaud's phenomenon, 101

Delpy, D.T. Developments in oxygen monitoring, 533

Dewey, I.: see Hutchings, M., 149 Dong, D.Y. and Sheng, Z.Y. Experimental permanent artificial tendon for the hand, 406

Dorrington, K.L.: see Gardaz, J.P., 74
Dymond, E.A., Potter, R., Griffiths, P.A.
and McClemont, E.J.W. A week in the
life of Mary: the impact of
microtechnology on a severely
handicapped person, 483

Ector, H.: see Aubert, A.E., 91
Einav, S. and Berman, H.J. Fringe mode
transmittance laser Doppler microscope
anemometer: its adaption for
measurement in the micro-circulation,
393

Evans, M., Kenwright, J. and Cunningham, J.L. Design and performance of a fracture monitoring transducer, 64

Ewins, D.J., Taylor, P.N., Crook, S.E., Lipczynski, R.T. and Swain, I.D. Practical low cost sit/stand system for mid-thoracic paraplegics, 184

Felice, C.J., Clavin, O.E., Spinelli, J.C., Valentinuzzi, M.E. and Gallo, B. del V. Low-cost digital impedance meter for the detection of micro-organisms, 448
Ferraioli, A. Book Reviews, 374

Fiddian, N.J.: see Colson, D.J., 301 Fontanges, P.: see Sebille, A., 371 Franck, A., Turczynski, B. and Opara, J. Treatment of spinal spasticity by

electrical stimulation, 266

Franks, S.: see Sutherland, I.A., 110
Franks, C.I. and Betts, R.P. Selection of transducer material for use with 'optical' foot pressure systems, 365 Freeman, M.A.R.: see Tanner, K.E., 289
Freeman, P.A.: see Andrews, B.J., 189
Fronek, A.: see Tamura, T., 271
Gallo, B. del V.: see Felice, C.J., 448
Gardaz, J.P., Dorrington, K.L., Py, P. and
Schweizer, A. Physiological profile during
venovenous perfusion in dogs using a
polypropylene membrane lung with

secondary flows, 74
Gaylor, J.D.S. Membrane oxygenators:
current developments in design and
application, 541

Gentle, C.R. Mammobarography: a possible method of mass breast screening, 124 Gewillig, M.: see Aubert, A.E., 91 Gillmer, M.D.G.: see O'Dowd, M., 165 Gleave, B.D.: see Aspden, R.M., 291

Goddard, P.J.: see Burton, P.J., 171 Graupe, D., Kohn, K.H. and Basseas, S. Above- and below-lesion EMG patternmapping for controlling electrical stimulation of paraplegics to facilitate unbraced walker-assisted walking, 305

Green, E.M.: see Nelham, R.L., 175 Griffiths, P.A.: see Dymond, E.A., 483 Grigoriadou-Koukis, M. and Samarakou, M.T. Analogue computer system for the evaluation of hip joint moments during normal walking, 253

Gross, T.S. and Bunch, R.P. Measurement of discrete vertical in-shoe stress with piezoelectric transducers, 261

Hahn, C.E.W.: see Hall, E.A.H., 319
Hall, E.A.H.: see Cooper, J.C., 210
Hall, E.A.H. The nature of biotechnology, 5
Hall, E.A.H., Conhill, E.J. and Hahn,
C.E.W. Halothane interference at an
amperometric oxygen electrode: the
development of an oxygen/halothane
electrode, 319

Hall, E.A.H. Book Review, 472
Harba, M.I.A., Zaia, I.F. and Naief, A.K.
On-line measurement of muscle fibre conduction velocity: analysis and

optimization of performance, 33 Harba, M.I.A., Zaia, I.F., Naief, A.K. and Abid-Ali, F. Fast on-line polarity correlation algorithms for muscle fibre conduction velocity measurement, 411

Hastings, G.W.: see Mahmud, F.A., 54 Hastings, G.W. and Mahmud, F.A. Electrical effects in bone, 515

Heathfield, H.A., Winstanly, G. and Kirkham, N. Computer-assisted breast cancer grading, 379

How, T.V., Black, R.A. and Annis, D. Comparison of pressure losses in steady non-Newtonian flow through experimental tapered and cylindrical arterial prostheses, 225

Hrubý, J., Klier, E., Picka, J., Sedlák, S., Betka, J. and Valvoda, M. Measuring of the impedance of the active electrode of a single channel cochlear implant in situ, 470

Hukins, D.W.L.: see Aspden, R.M., 291 see Sikoryn, T.A., 357 Hull, M.L.: see Preising, B.M., 417

Hull, M.L.: see Preising, B.M., 417
Hutchings, M., Dewey, I., Cherry, G.W. and Rolfe, P. Flexible approach to amperometric oxygen determination, 149

amperometric oxygen determination, 149 Hwang, J.C.: see Li, H.F., 14 Ison, K.T. Assessment of control ability in the physically handicapped, 430 lackson, P.C.: see Key, H., 113

Jackson, P.C.: see Key, H., 113 Jesus, S. and Rix, H. High resolution ECG

AUTHOR INDEX

Abdel-Dayem, H.M.: see Kouris, K., 326
Abid-Ali, F.: see Harba, M.I.A., 411
Ahuja, A.A.: see Martin, P., 360
Albrektsson, T.: see Aspenberg, P., 70
Almond, N.E., Jones, D.P. and Cooke, E.D.
High quality photoplethysmograph
signals from a laser Doppler flowmeter:
preliminary studies of two simultaneous
outputs from the finger, 458
Anand Rao, J.: see Samhasiva, Rao P., 293

Andrews, B.J.: see Pournezam, M., 196
Andrews, B.J., Baxendale, R.H., Barnett, R.,
Phillips, G.F., Yamazaki, T., Paul, J.P.
and Freeman, P.A. Hybrid FES orthosis
incorporating closed loop control and
sensory feedback, 189

Annis, D.: see How, T.V., 225
Arulkumaran, S.: see Lilja, H., 348
Aspden, R.M.: see Sikoryn, T.A., 357
Aspden, R.M., Gleave, B.D. and Hukins,
D.W.L. Dimensional measurements on
images from a video camera or cassette
recorder using a BBC microcomputer,
291

Aspenberg, P., Albrektsson, T., Lohmander, L.S. and Thorngren, K.G. Drug test chamber: a titanium implant for administration of biochemical agents to a standardized bone callus in situ, 70

Aubert, A.E., Gewillig, M., Witters, E., Van den Brossche, A., Van den Brossche, J., Ector, H. and De Geest, H. New highfrequency catheter technique for His bundle ablation in dogs, 91

Bambill de Rossit, D.V.: see Laura, P.A.A., 453

Barnett, R.: see Andrews, B.J., 189 Basseas, S.: see Graupe, D., 305 Baxendale, R.H.: see Andrews, B.J., 189 see Pournezam, M., 196 Berman, H.J.: see Einav, S., 393

Berman, H.J.: see Einav, S., 393 Betka, J.: see Hrubý, J., 470 Betts, R.P.: see Franks, C.I., 365 Billington, G.D.: see Nelham, R.L., 175 Bisset, W.M., Watt, J.B., Rivers, R.P.A. and Milla, P.J. Measurement of smallintestinal motor activity in the preterm infant, 155

Black, R.A.: see How, T.V., 225 Blanquaert, D.: see Christel, P.S., 57 Blue, H.B.: see Sun, M., 336 Bonfield, W.: see Tanner, K.E., 289 Bonfield, W. Composites for bone

replacement, 522
Boyd, E.: see Daley, J., 146
Browett, J.P.: see Colson, D.J., 301

Bunch, R.P.: see Gross, T.S., 261 Burton, P.J., Rochefort, M., Rolfe, P. and Goddard, P.J. Development of a sensor for non-invasive intracranial pressure measurement in the newborn, 171

Byford, G.H. Editorial: Biotechnology, 3 Editorial: The curative properties of electric pulses, 299

Caroubalos, C., Perche, C., Metaxaki-Kossionides, C., Sangriotis, E. and Maroulis, D. Method for an automatic analysis of the ECG, 343

analysis of the ECG, 343
Carter, M.C. Fetal monitoring, 527
Chambers, G.R.: see Sutherland, I.A., 110
Chan, F.H.Y.: see Li, H.F., 14
Chan, W.S.: see Li, H.F., 14
Cherry, G.W.: see Hutchings, M., 149
Choy, T.T.C. and Leung, P.M. Real time

Choy, T.T.C. and Leung, P.M. Real time microprocessor-based 50 Hz notch filter for ECG, 285 Choy, T.T.C. and Leung, P.M. Real-time drift suppressor for ECG, 354 Christel, P.S., Meunier, A., Blanquaert, D.,

Christel, P.S., Meunier, A., Blanquaert, D., Witvoet, J. and Sedel, L. Role of stem design and material on stress distributions in cemented total hip replacement, 57

Clavin, O.E.: see Felice, C.J., 448 Coats, A.: see Murphy, C., 127 Colditz, P.: see Murphy, C., 127 Colles, M.J. Medical lasers, 569 Colson, D.I. Browett, I.P. Fiddian

Colson, D.J., Browett, J.P., Fiddian, N.J. and Watson, B. Treatment of delayed and non-union of fractures using pulsed electromagnetic fields, 301

Conhill, E.J.: see Hall, E.A.H., 319 Conway, J.: see Murphy, C., 127 Cooke, E.D.: see Almond, N.E., 458

Cooper, J.: see Daley, J., 146Cooper, J.C. and Hall, E.A.H. The nature of biosensor technology, 210

Cooper, J.P. and Salmons, S. Simple threeprogram implantable muscle stimulator with optical control, 467

Cottenden, A.M. Incontinence pads: clinical performance, design and technical properties, 506

Cotton, L.T.: see de Trafford, J.C., 101 Crook, S.E.: see Ewins, D.J., 184 Cunningham, J.L.: see Evans, M., 64 Daley, J., Boyd, E., Cooper, J. and O'Driscoll, P. Optical assessment of dental pulp vitality, 146

De Geest, H.: see Aubert, A.E., 91 de Trafford, J.C., Khan, O., Lafferty, K., Cotton, L.T. and Potter, C. Thermal entrainment methods for studying Raynaud's phenomenon, 101

Delpy, D.T. Developments in oxygen monitoring, 533

Dewey, I.: see Hutchings, M., 149 Dong, D.Y. and Sheng, Z.Y. Experimental permanent artificial tendon for the hand, 406

Dorrington, K.L.: see Gardaz, J.P., 74
Dymond, E.A., Potter, R., Griffiths, P.A.
and McClemont, E.J.W. A week in the
life of Mary: the impact of
microtechnology on a severely
handicapped person, 483

Ector, H.: see Aubert, A.E., 91
Einav, S. and Berman, H.J. Fringe mode
transmittance laser Doppler microscope
anemometer: its adaption for
measurement in the micro-circulation,
393

Evans, M., Kenwright, J. and Cunningham, J.L. Design and performance of a fracture monitoring transducer, 64

Ewins, D.J., Taylor, P.N., Crook, S.E., Lipczynski, R.T. and Swain, I.D. Practical low cost sit/stand system for mid-thoracic paraplegics, 184

Felice, C.J., Clavin, O.E., Spinelli, J.C., Valentinuzzi, M.E. and Gallo, B. del V. Low-cost digital impedance meter for the detection of micro-organisms, 448
Ferraioli, A. Book Reviews, 374

Fiddian, N.J.: see Colson, D.J., 301 Fontanges, P.: see Sebille, A., 371 Franck, A., Turczynski, B. and Opara, J. Treatment of spinal spasticity by

electrical stimulation, 266

Franks, S.: see Sutherland, I.A., 110
Franks, C.I. and Betts, R.P. Selection of transducer material for use with 'optical' foot pressure systems, 365 Freeman, M.A.R.: see Tanner, K.E., 289
Freeman, P.A.: see Andrews, B.J., 189
Fronek, A.: see Tamura, T., 271
Gallo, B. del V.: see Felice, C.J., 448
Gardaz, J.P., Dorrington, K.L., Py, P. and
Schweizer, A. Physiological profile during
venovenous perfusion in dogs using a
polypropylene membrane lung with

secondary flows, 74
Gaylor, J.D.S. Membrane oxygenators:
current developments in design and
application, 541

Gentle, C.R. Mammobarography: a possible method of mass breast screening, 124 Gewillig, M.: see Aubert, A.E., 91 Gillmer, M.D.G.: see O'Dowd, M., 165 Gleave, B.D.: see Aspden, R.M., 291

Goddard, P.J.: see Burton, P.J., 171 Graupe, D., Kohn, K.H. and Basseas, S. Above- and below-lesion EMG patternmapping for controlling electrical stimulation of paraplegics to facilitate unbraced walker-assisted walking, 305

Green, E.M.: see Nelham, R.L., 175 Griffiths, P.A.: see Dymond, E.A., 483 Grigoriadou-Koukis, M. and Samarakou, M.T. Analogue computer system for the evaluation of hip joint moments during normal walking, 253

Gross, T.S. and Bunch, R.P. Measurement of discrete vertical in-shoe stress with piezoelectric transducers, 261

Hahn, C.E.W.: see Hall, E.A.H., 319
Hall, E.A.H.: see Cooper, J.C., 210
Hall, E.A.H. The nature of biotechnology, 5
Hall, E.A.H., Conhill, E.J. and Hahn,
C.E.W. Halothane interference at an
amperometric oxygen electrode: the
development of an oxygen/halothane
electrode, 319

Hall, E.A.H. Book Review, 472
Harba, M.I.A., Zaia, I.F. and Naief, A.K.
On-line measurement of muscle fibre conduction velocity: analysis and

optimization of performance, 33 Harba, M.I.A., Zaia, I.F., Naief, A.K. and Abid-Ali, F. Fast on-line polarity correlation algorithms for muscle fibre conduction velocity measurement, 411

Hastings, G.W.: see Mahmud, F.A., 54 Hastings, G.W. and Mahmud, F.A. Electrical effects in bone, 515

Heathfield, H.A., Winstanly, G. and Kirkham, N. Computer-assisted breast cancer grading, 379

How, T.V., Black, R.A. and Annis, D. Comparison of pressure losses in steady non-Newtonian flow through experimental tapered and cylindrical arterial prostheses, 225

Hrubý, J., Klier, E., Picka, J., Sedlák, S., Betka, J. and Valvoda, M. Measuring of the impedance of the active electrode of a single channel cochlear implant in situ, 470

Hukins, D.W.L.: see Aspden, R.M., 291 see Sikoryn, T.A., 357 Hull, M.L.: see Preising, B.M., 417

Hull, M.L.: see Preising, B.M., 417
Hutchings, M., Dewey, I., Cherry, G.W. and Rolfe, P. Flexible approach to amperometric oxygen determination, 149

amperometric oxygen determination, 149 Hwang, J.C.: see Li, H.F., 14 Ison, K.T. Assessment of control ability in the physically handicapped, 430 lackson, P.C.: see Key, H., 113

Jackson, P.C.: see Key, H., 113 Jesus, S. and Rix, H. High resolution ECG analysis by an improved signal averaging method and comparison with a beat-tobeat approach, 25

Jones, D. Impact of advanced manufacturing technology on prosthetic and orthotic practice, 179

Jones, D.: see Lord, M., 491
Jones, D.P.: see Almond, N.E., 458
Jones, K.R. Transducer for monitoring
respiration during imaging procedures,
360

Jones, N.B.: see Papageorgiou, G.L., 82, 231 Kar, B.K.: see Misra, J.C., 220 Kenedi, R.M. Biomechanical highlights—the personal miscellany of a decade, 477

Kenwright, J.: see Evans, M., 64 Key, H., Jackson, P.C. and Wells, P.N.T. New approaches to transillumination

imaging, 113 Khan, O.: see de Trafford, J.C., 101 Kiddy, D.: see Sutherland, I.A.,110 Kirkham, N.: see Heathfield, H.A., 379 Klier, E.: see Hrubý, J., 470 Kohn, K.H.: see Graupe, D., 305

Kouris, K. and Abdel-Dayem, H.M. Transfer of medical technology from a developed to a developing country, 326 Krösl, P.: see Schima, H., 387

Lafferty, K.: see de Trafford, J.C., 101 Laura, P.A.A.: see Romanelli, E.A., 373 Laura, P.A.A. Physical modelling of the arterial wall (Letter to the Editor), 373 Laura, P.A.A., Rossi, R.E. and Bambill de

aura, P.A.A., Rossi, R.E. and Bambill de Rossit, D.V. Dynamic analysis of leaflet stresses and application to heart valve design, 453

Legagneux, J.: see Sebille, A., 371 Leung, P.M.: see Choy, T.T.C., 285, 354 Li, H.F., Chan, F.H.Y., Poon, P.W.F., Hwang, J.C. and Chan, W.S. Maximum length sequence applied to the measurement of brainstem auditory evoked responses, 14

Lilja, H.: see Lindecrantz, K.G., 280, 351
Lilja, H., Arulkumaran, S., Lindecrantz, K.,
Ratnam, S.S. and Rosen, K.G. Fetal
ECG during labour: a presentation of a
microprocessor system, 348

Lindecrantz, K.: see Lilja, H., 348 Lindecrantz, K.G. and Lilja, H. New software QRS detector algorithm suitable for real time applications with low signalto-noise ratios, 280

Lindecrantz, K.G., Lilja, H., Widmark, C. and Rosen, K.G. Fetal ECG during labour: a suggested standard, 351

Lipczynski, R.T.: see Ewins, D.J., 184 Lohmander, L.S.: see Aspenberg, P., 70 Lord, M. and Jones, D. Issues and themes in computer aided design for external prosthetics and orthotics, 491

prosthetics and orthotics, 491 Loughry, C.W.: see Proietti-Orlandi, F., 237 Luyckx, K.A.: see Sun, M., 336

Lynn, Rasmussen G.: see Tanner, K.E., 289 Madroñero, A., Pitillas, I. and Manso, F.J. Pulsed electromagnetic field treatment failure in radius non-united fracture healing, 463

Magos, A.L. Effects and analysis of the menstrual cycle, 105

Mahmud, F.A., see Hastings, G.W., 515
Mahmud, F.A., Hastings, G.W. and Martini,
M. Model to characterize the strain
generated potentials in bone, 54
Manso. F.L.: see Madronero. A., 463

Manso, F.J.: see Madroñero, A., 463
 Maroulis, D.: see Caroubalos, C., 343
 Martin, M.J.: see O'Dowd, M., 165
 Martin, P. and Ahuja, A.A. Optimal pharmacokinetic delivery of infused drugs: application to the treatment of

cardiac arrythmias, 360
Martini, M.: see Mahmud, F.A., 54
Mason, H.D.: see Sutherland, I.A., 110
McClemont, E.J.W.: see Dymond, E.A., 000
McGill, S.M. and Norman, R.W. Potential
of lumbodorsal fascia forces to generate
back extension moments during squat

Metaxaki-Kossionides, C.: see Caroubalos, C., 343

Meunier, A.: see Christel, P.S., 57 Milla, P.J.: see Bisset, W.M., 155 Mira, J.C.: see Sebille, A., 371

Misra, J.C. and Kar, B.K. Formation of a boundary layer in steady-state blood flow, 220

Miyasaka, J.: see Tannc, K., 246 Moran, C.: see Watmough, D.J., 119 Mulcahy, C.M.: see Nelham, R.L., 175 Murphy, C.: see Yamakoshi, K., 130 Murphy, C., Coats, A., Conway, J., Colditz, P. and Rolle, P. Doppler ultrasound signal analysis based on the TMS320 signal processor, 127

Naief, A.K.; see Harba, M.I.A., 33, 411
Nakamura, M., Shibasaki, H. and Nishida,
S. Construction of an evoked potential
model expressed by parallel second order
components with time lags, 443

Nelham, R.L., Mulcahy, C.M., Pountney, T.E., Green, E.M. and Billington, G.D. Clinical aspects of the Chailey Adaptaseat, 175

Newald, J.: see Schima, H., 387 Newell, J.A. Medical images and automated interpretation, 555

Ning, G.: see Yu, T., 331 Nishida, S.: see Nakamura, M., 443 Norman, R.W.: see McGill, S.M., 312 O'Dowd, M., Martin, M.J., Wheble, A., Gillmer, M.D.G. and Rolfe, P. Ionselective sensors for assessment of the fetus, 165

O'Driscoll, P.: see Daley, J., 146 Opara, J.: see Franck, A., 266 Orpwood, R.D. Basic module of an adaptive control system based on neurone information processing, 201

Papageorgiou, G.L. and Jones, N.B. Circumferential and longitudinal viscoelasticity of human iliac arterial segments in vitro, 82

Papageorgiou, G.L. and Jones, N.B. Frequency response of the arterial wall, 231

Paul, J.P.: see Andrews, B.J., 189 see Pournezam, M., 196 Pécot-Déchavassine, M.: see Sebille, A., 371 Perche, C.: see Caroubalos, C., 343 Phillips, G.F.: see Andrews, B.J., 189 see Pournezam, M., 196

Picka, J.: see Hrubý, J., 470 Ptillas, I.: see Madronero, A., 463 Polson, D.W.: see Sutherland, I.A., 110 Poon, P.W.F.: see Li, H.F., 14 Popel, A.S.: see Varela, F.E., 400 Porter, D.A. and Smith, M.A. Magnetic resonance spectroscopy in-vivo, 562 Potter, C.: see de Trafford, J.C., 101

Potter, R.: see Dymond, E.Ā., 483 Pountney, T.E.: see Nelham, R.L., 175 Pournezam, M., Andrews, B.J., Baxendale, R.H.; Phillips, G.F. and Paul, J.P. Reduction of muscle fatigue in man by

cyclical stimulation, 196
Pratt, D.J. Medium term comparison of shock attenuating insoles using a spectral analysis technique, 426

Preising, B.M., Hull, M.L., Taylor, R.G. and Shumway, R.H. Carrier detection of Duchenne dystrophy by frequency analysis of the electromyogram, 417 Price, T.E.: see Proietti-Orlandi, F., 237 Proietti-Orlandi, F., Varga, R.S., Sheffer, D.B., Price, T.E. and Loughry, C.W. Biostereometric analysis for breast cancer detection, 237

Py, P.: see Gardaz, J.P., 74 Randall, N.J., Steer, P.J. and Sutherland, I.A. Detection of the fetal ECG during labour by an intrauterine probe, 159 Ratnam, S.S.: see Lilja, H., 348

Reed, P.E.: see Tanner, K.E., 289 Rivers, R.P.A.: see Bisset, W.M., 155 Rix, H.: see Jesus, S., 25

Rochefort, M.: see Burton, P.J., 171 Rolfe, P.: see Burton, P.J., 171 see Hutchings, M., 149 see Murphy, C., 127 see O'Dowd, M., 165 see Yamakoshi, K., 130

Rolfe, P. Review of chemical sensors for physiological measurement, 138 Romanelli, E.A. and Laura, P.A.A. Threedimensional curved beam stress analysis of the human femur (Letter to the

Editor), 373 Rosen, K.G.: see Lilja, H., 348 see Lindecrantz, K.G., 351 Rossi, R.E.: see Laura, P.A.A., 453

Sachdeva, R.: see Tanne, K., 246
Sagle, M.: see Sutherland, I.A., 110
Sakuda, M.: see Tanne, K., 246
Salmons, S.: see Cooper, J.P., 467
Samarakou, M.T.: see Grigoriadou-Koukis,

M., 253
Sambhasiva Rao, P. and Anand Rao, J.
Numerical solution of non-steady
magnetohydrodynamic flow of blood
through a porous channel, 293

Sangriotis, E.: see Caroubalos, C., 343
Schima, H., Newald, J., Krösl, P., Thurnher,
M. and Schlag, G. Control of perfusion
pressure and flow in isolated heart
bioassays, 387

Schlag, G.: see Schima, H., 387 Schweizer, A.: see Gardaz, J.P., 74 Scłabassi, R.J.: see Sun, M., 336 Scbille, A., Fontanges, P., Legagneux, J.

Sebille, A., Fontanges, P., Legagneux, J., Mira, J.C. and Pécot-Déchavassine, M. Portable stimulator for direct electrical stimulation of denervated muscles in laboratory animals, 371

Sedel, L.: see Christel, P.S., 57 Sedlák, S.: see Hrubý, J., 470 Sckhar, L.N.: see Sun, M., 336 Sheffer, D.B.: see Proietti-Orlandi, F., 237 Sheldon, C.D. Editorial: Celebratory Issue, 475

Sheng, Z.Y.: see Dong, D.Y., 406 Shibasaki, H.: see Nakamura, M., 443 Shumway, R.H.: see Preising, B.M., 417 Sikoryn, T.A., Aspden, R.M. and Hukins, D.W.L. Simple computer controlled apparatus for in vitro mechanical testing of connective tissues, 357

Skagen, D.W. Estimation of running frequency spectra using a Kalman filter algorithm, 275

augorithm, J.: see Strackec, J., 438
Smith, J.: see Strackec, J., 438
Smith, M.A.: see Porter, D.A., 562
Smith, S.R.: see Wheeler, B.C., 47
Spinelli, J.C.: see Felice, C.J., 448
Steer, P.J.: see Randall, N.J., 159
Strackee, J. and Smith, J. Singular value

Strackee, J. and Smith, J. Singular value decomposition for identification of parameters in multicompartment analysis, 438

Sun, M., Sekhar, L.N., Sclabassi, R.J., Wasserman, J.F., Blue, H.B. and Luyckx, K.A. Recording and processing of aneurysmal vibration signals in dogs, 336

Sutherland, I.A.: see Randall, N.J., 159 Sutherland, I.A., Chambers, G.R., Polson, D.W., Sagle, M., Kiddy, D., Mason, H.D. and Franks, S. Pulsatile infusion of gonadotrophin releasing hormone (GnRH): investigative and therapeutic applications, 110

Swain, I.D.: see Ewins, D.J., 184 Tamura, T. and Fronek, A. New method for ultrasonic Doppler probe angle

determination, 271

Tanne, K., Miyasaka, J., Yamagata, Y., Sachdeva, R., Tsutsumi, S. and Sakuda, M. Three-dimensional model of the human craniofacial skeleton: method and preliminary results using finite element analysis, 246

Tanner, K.E., Reed, P.E., Bonfield, W., Lynn Rasmussen, G. and Freeman, M.A.R. A system for modelling of the forces on the hip joint in one-legged stance, 289

Taylor, P.N.: see Ewins, D.J., 184

Taylor, R.G.: see Preising, B.M., 417 Thorngren, K.G.: see Aspenberg, P., 70 Thurnher, M.: see Schima, H., 387 Tsutsumi, S.: see Tanne, K.,246 Turczynski, B.: see Franck, A., 266 Valentinuzzi, M.E.: see Felice, C.J., 448 Valvoda, M.: see Hrubý, J.,470 Van den Brossche, A.: see Aubert, A.E., 91 Van den Brossche, J.: see Aubert, A.E., 91 Varela, F.E. and Popel, A.S. Effect of intracapillary resistance to oxygen

transport on the diffusional shunting between capillaries, 400 Varga, R.S.: see Proietti-Orlandi, F.,237 Wasserman, J.F.: see Sun, M., 336 Watmough, J.A.: see Watmough, D.J., 119

Watmough, D.J., Moran, C. and Watmough, J.A. 'Son et lumière': a new combined optical and Doppler ultrasound approach to the detection of cancer, 119

Watson, B.: see Colson, D.J., 301 Watt, J.B.: see Bisset, W.M., 155 Weixue, L.: see Yu, T., 331

Wells, P.N.T.: see Key, H., 113

Wells, P.N.T. Ultrasound imaging, 548 Wheble, A.: see O'Dowd, M., 165 Wheeler, B.C. and Smith, S.R. Highresolution alignment of action potential

waveforms using cubic spline interpolation, 47 Whelpton, D. Equipment management: the

Cinderella of bio-engineering, 499 Whelpton, D. Editorial: Conference issue, 99 Widmark, C.: see Lindecrantz, K.G., 351 Winstanly, G.: see Heathfield, H.A., 379 Witters, E.: see Aubert, A.E., 91

Witvoet, J.: see Christel, P.S., 57 Yamagata, Y.: see Tanne, K., 246

Yamakoshi, K., Rolfe, P. and Murphy, C. Current developments in non-invasive measurement of arterial blood pressure, 130

Yamazaki, T.: see Andrews, B.J., 189 Yu, T., Ning, G. and Weixue, L. Parameters of exponentially damped sinusoids in noise and their application to the analysis of visual evoked potentials, 331 Zaia, I.F.: see Harba, M.I.A., 33, 411

SUBJECT INDEX

50 Hz filter

ECG, signal processing; 285

Adaptive control

FES, neurone model: 201

Algorithms

conduction velocity, EMG; 411

Amperometric determination biosensors, oxygen; 149

Aneurysms

signal processing, vibration; 336

Animals

FES, stimulator; 371

Anovulation

drug delivery, infusion pump; 110

blood flow, boundary; 220

Apparatus

connective tissues, mechanical testing; 357

modelling, elasticity; 82 modelling, frequency response; 231 prostheses, pressure drop; 225

Artificial intelligence

breast cancer, histological grade; 379

Artificial organs

lung, membranes; 74

Audiology

prostheses, cochlear implants; 470

Automation

ECG, signal processing: 343

imaging, interpretation; 555

Back

biomechanics, muscles; 312

Biomechanics

back, muscles; 312 review; 477

Biosensors

amperometric determination, oxygen; 149 fetal and neonatal monitoring, pH; 165

halothane, oxygen; 319 oxygen, monitoring; 533

review; 210 Biostereometrics

breast imaging, photogrammetry; 237

Biotechnology

review: 5

Blood

oxygen transport, modelling; 400

Blood flow

boundary, aorta; 220

Doppler ultrasound, probe angle; 271 Doppler ultrasound, signal processing;

127

laser Doppler flowmeters, finger; 458

laser Doppler flowmeters,

microcirculation; 393

numerical methods, modelling; 293 optical investigations, dental pulp vitality;

146 Raynaud's phenomenon, thermal entrainment; 101

Blood pressure

non-invasive, plethysmography; 130

Rone

composites, implants; 522

electrical effects, review; 515

fracture healing, electromagnetic fields;

301

fracture healing, electromagnetic fields; 463

fracture healing, transducer; 64

implants, sampling; 70

piezoelectricity, strain generated

potentials; 54

Book Reviews

Guide to Chemical Interpretation of

Data, B. Spilker; 374 Frontiers in Biomechanics, G.W. Schmid

et al.; 374

The Circulatory System, D.G. Cramp

and E.R. Carson; 375 The International Biotechnology

Handbook; 472

Boundary

blood flow, aorta; 220

Brainstem auditory evoked response

measurement; 14

Breast cancer

histological grade, artificial intelligence; 379

Breast imaging

biostereometrics, photogrammetry; 237

computed tomography, transillumination;

Doppler ultrasound, optical

investigations; 119

optical investigations,

mammobarography; 124

CAD/CAM

prostheses, orthoses; 491 rehabilitation, prostheses; 179

Cather

heart, His bundles; 91

Cerebral palsy

rehabilitation, seating; 175

Chemical sensors

review, physiological measurement; 138

Cochlear implants

prostheses, audiology; 470

Composites

bone, implants; 522

Computed tomography

breast imaging, transillumination; 113

Conduction velocity

algorithms, EMG; 411

EMG, signal processing; 33

Connective tissues mechanical testing, apparatus; 357

Control ability

disability, interfaces; 430

Cubic splines

signal processing, neural signals; 47

Dental pulp vitality

blood flow, optical investigations; 146

Design

prostheses, hips; 57 Disability

interfaces, control ability; 430

interfaces, microprocessors; 483

Doppler ultrasound

blood flow, probe angle; 271

blood flow, signal processing; 127 breast imaging, optical investigations; 119

Drift supressor

ECG, signal processing; 354

Drug delivery anovulation, infusion pump; 110

heart, infusion pump; 360

Duchenne muscular dystrophy modelling, isolated heart bioassay; 387 Membranes EMG, signal processing; 417 valves, leaflet stresses; 453 artificial organs, lung; 74 ECG High resolution oxygenators, review; 541 fetal and neonatal monitoring, ECG, signal processing; 25 Menstrual cycle microprocessors; 348 Hips trend analysis, symptoms; 105 fetal and neonatal monitoring, standards; modelling, joint moments; 253 Microcirculation 351 prostheses, design; 57 blood flow, laser Doppler flowmeters; 393 intrauterine probe, fetal and neonatal prostheses, forces; 289 Microcomputers monitoring; 159 His bundles video system, measurement; 291 signal processing, 50 Hz filter; 285 heart, cather; 91 Microorganisms signal processing, automation; 343 Histological grade microprocessors, patient monitors; 448 signal processing, drift supressor; 354 breast cancer, artificial intelligence; 379 Microprocessors signal processing, high resolution; 25 **Imaging** disability, interfaces; 483 signal processing, QRS detection; 280 automation, interpretation; 555 fetal and neonatal monitoring, ECG; 348 Editorial magnetic resonance spectroscopy, review; microorganisms, patient monitors; 448 Biotechnology; 3 Modelling Celebratory Issue; 475 respiration, monitoring; 368 arteries, elasticity; 82 Conference Issue; 99 ultrasound, review; 548 arteries, frequency response; 231 Curative properties of electric pulses; 299 Implants blood flow, numerical methods; 293 Elasticity bone, composites; 522 blood, oxygen transport; 400 arteries, modelling; 82 bone, sampling; 70 finite element analysis, skull; 246 Electrical effects FES, stimulator; 467 glucose, multicompartment analysis; 438 bone, review; 515 Incontinence pads heart, isolated heart bioassay; 387 Electromagnetic fields review; 506 hips, joint moments; 253 bone, fracture healing; 301 Infusion pump visual evoked potentils, signal processing; bone, fracture healing; 463 drug delivery, anovulation; 110 443 EMG Monitoring drug delivery, heart; 360 algorithms, conduction velocity; 411 Insoles imaging, respiration; 368 conduction velocity, signal processing; 33 feet, shock; 426 oxygen, biosensors; 533 FES, paraplegia; 305 Interfaces Multicompartment analysis signal processing, Duchenne muscular disability, control ability; 430 modelling, glucose; 438 dystrophy; 417 disability, microprocessors; 483 Muscles Equipment management Interpretation biomechanics, back; 312 review; 499 imaging, automation; 555 FES, fatigue; 196 Fatigue Intestinal activity Neural signals FES, muscles; 196 fetal and neonatal monitoring, signal processing, cubic splines; 47 Feedback measurement: 155 Neurone model FES, orthoses; 189 Intracranial pressure FES, adaptive control; 201 Feet fetal and neonatal monitoring, noninsoles, shock; 426 invasive; 171 signal processing, visual evoked FES Intrauterine probe potentials; 331 EMG, paraplegia; 305 ECG, fetal and neonatal monitoring; 159 Non-invasive muscles, fatigue; 196 Isolated heart bioassay blood pressure, plethysmography; 130 neurone model, adaptive control; 201 fetal and neonatal monitoring, heart, modelling; 387 orthoses, feedback; 189 Joint moments intracranial pressure; 171 orthoses, paraplegia; 184 hips, modelling; 253 Nuclear medicine spasticity, rehabilitation; 266 Kalman filter technology transfer, Kuwait; 326 stimulator, animals; 371 time series analysis, signal processing; 275 Numerical methods stimulator, implants; 467 blood flow, modelling; 293 Kuwait Fetal and neonatal monitoring technology transfer, nuclear medicine; Optical investigations ECG, intrauterine probe; 159 326 blood flow, dental pulp vitality; 146 ECG, microprocessors; 348 Laser Doppler flowmeters breast imaging, Doppler ultrasound; 119 ECG, standards: 351 blood flow, finger; 458 breast imaging, mammobarography; 124 blood flow, microcirculation; 393 intestinal activity, measurement; 155 Orthoses CAD/CAM, prostheses; 491 intracranial pressure, non-invasive; 171 Leaflet stresses Heart, valves; 453 pH, biosensors; 165 FES, feedback; 189 Letters to the Editor review; 527 FES, paraplegia; 184 Finger Physical modelling of the arterial wall, Oxygen blood flow, laser Doppler flowmeters; 458 P.A.A. Laura: 373 biosensors, amperometric determination; Finite element analysis Three-dimensional curved beam stress 149 modelling, skull; 246 analysis of the human femur. E.A. biosensors, halothane; 319 Foot pressure Romanelli and P.A.A. Laura; 373 monitoring, biosensors; 533 pedobarograph, materials; 365 Oxygen transport shoes, piezoelectricity; 261 artificial organs, membranes; 74 blood, modelling; 400 Magnetic resonance spectroscopy Oxygenators hips, prostheses; 289 imaging, review; 562 membranes, review; 541 Fracture healing Mammobarography Paraplegia FES, EMG; 305 bone, electromagnetic fields; 301 breast imaging, optical investigations; bone, electromagnetic fields; 463 FES, orthoses; 184 bone, transducer; 64 Materials Patient monitors foot pressure, pedobarograph; 365 Frequency response microprocessors, microorganisms; 448 arteries, modelling; 231 Measurement Pedobarograph Glucose brainstem auditory evoked response; 14 foot pressure, materials; 365 modelling, multicompartment analysis; fetal and neonatal monitoring, intestinal pH 438 activity; 155 fetal and neonatal monitoring, biosensors;

microcomputers, video system; 291

connective tissues, apparatus; 357

Mechanical testing

review; 569

Medical lasers

Halothane

Heart

biosensors, oxygen; 319

cather. His bundles: 91

drug delivery, infusion pump; 360

breast imaging, biostereometrics; 237

chemical sensors, review; 138

165

Photogrammetry

Physiological measurement

Piezoelectricity

bone, strain generated potentials; 54 shoes, foot pressure; 261

Plethysmography

blood pressure, non-invasive; 130

Pressure drop

prostheses, arteries; 225

Probe angle

blood flow, Doppler ultrasound; 271

Prostheses

arteries, pressure drop; 225

CAD/CAM, orthoses; 491 cochlear implants, audiology; 470

hips, design; 57

hips, forces; 289 rehabilitation, CAD/CAM; 179

tendon, silastic tube; 406

QRS detection

ECG, signal processing; 280

Raynaud's phenomenon

blood flow, thermal entrainment; 101

Rehabilitation

FES, spasticity; 266 prostheses, CAD/CAM; 179

seating, cerebral palsy; 175

Respiration

imaging, monitoring; 368

Review

biomechanics; 477

biosensors; 210

biotechnology; 5

bone, electrical effects; 515

chemical sensors, physiological measurement; 138

equipment management; 499 fetal and neonatal monitoring; 527 imaging, magnetic resonance

spectroscopy; 562

imaging, ultrasound; 548

incontinence pads; 506 medical lasers; 569

membranes, oxygenators; 541

Sampling bone, implants; 70

rehabilitation, cerebral palsy; 175

Shock

feet, insoles; 426

Shoes

piezoelectricity, foot pressure; 261

Signal processing aneurysms, vibration; 336 blood flow, Doppler ultrasound; 127

ECG, 50 Hz filter, 285

ECG, automation; 343

ECG, drift supressor; 354

ECG, high resolution; 25

ECG, QRS detection; 280

EMG, conduction velocity; 33

EMG, Duchenne muscular dystrophy;

417 neural signals, cubic splines; 47

time series analysis, Kalman filter; 275

visual evoked potentials, modelling;

443

visual evoked potentials, noise; 331 Silastic tube

prostheses, tendon; 406 Skull

finite element analysis, modelling; 246

Spasticity FES, rehabilitation; 266 Standards

fetal and neonatal monitoring, ECG; 351

Stimulator

FES, animals; 371

FES, implants; 467

Strain generated potentials bone, piezoelectricity; 54

Symptoms

menstrual cycle, trend analysis; 105

Technology transfer

Kuwait, nuclear medicine; 326

prostheses, silastic tube; 406

Thermal entrainment

Raynaud's phenomenon, blood flow; 101

Time series analysis

Kalman filter, signal processing; 275

Transducer

bone, fracture healing; 64

Transillumination

breast imaging, computed tomography; 113

Trend analysis

menstrual cycle, symptoms; 105

Ultrasound

imaging, review; 548

Valves

heart, leaflet stresses; 453

Vibration

signal processing, aneurysms; 336 Video system

microcomputers, measurement; 291

Visual evoked potentials signal processing, modelling; 443

signal processing, noise; 331

